

Univers	Professional
Type	Products
Category	Lanyards and Energy Absorbers
Subcategory	Rope Access Lanyards



PROGRESS ADJUST-I Progression Lanyard

PROGRESS ADJUST-I is a single adjustable progression lanyard that, when combined with another lanyard, allows continuous connection for different types of progression (such as rope ascent or moving along a fixed line). Using the ADJUST rope adjuster, the length can be quickly and easily adjusted. Reversible, the ADJUST rope adjuster can be placed on the anchor or on the harness ventral attachment point. The CAPTIV ADJUST and STUART accessories help hold the connectors in a good position for easy clipping.



When combined with another lanyard, the PROGRESS ADJUST-I progression lanyard allows continuous connection for all types of progression (such as rope ascent or moving along a traverse line). Reversible, the ADJUST rope adjuster can be placed on the anchor or on the harness ventral attachment point.



It adjusts quickly and precisely with the ADJUST rope adjuster, which releases with a simple turn and handles easily, with an ergonomic shape.



The STUART accessory helps keep the connector in the correct position and facilitates clipping.



The individual identification marking on the plastic sheath allows the equipment to be tracked throughout its lifespan.

Short Description Single adjustable progression lanyard

- Selling Points
- Adjustable single lanyard provides continuous connection during all types of progression when used with a second lanyard:
 - Rope ascent: lanyard for attaching an ASCENSION handled rope clamp, PROGRESS ADJUST-I progression lanyard allows adjustment of lanyard length when passing intermediate anchors
 - Moving along a lifeline: lanyards of the same length to facilitate progression
 - Easy handling:
 - The ADJUST rope adjuster is reversible and can be placed on the anchor or on the harness ventral attachment point
 - Very quick and precise length adjustment, due to the ergonomic shape of the ADJUST rope adjuster
 - CAPTIV ADJUST positioning bar helps hold the ADJUST rope adjuster in the proper position and keeps the lanyard and rope adjuster integrated with the carabiner (1)
 - Can be used with VERTIGO connector and the TANGA accessory when the rope adjuster is at the anchor
 - STUART accessory helps hold the connector in the proper position when the rope adjuster is attached to the harness ventral attachment point
 - Compatible with the gated ventral attachment point on ASTRO harnesses
 - Dynamic rope lanyard to limit the impact force transmitted to the user in the event of a short fall
 - Individual identification marking on plastic sheath to track equipment throughout its lifespan

(1) Compatible with OK, Am'D, Bm'D, and OXAN connectors.

-
- Specification
- Weight: 185g
 - Material(s): Aluminum, nylon, polyester, high-modulus polyethylene (HMPE), elastomer
 - Length: up to 100 cm
 - Certification(s): CE EN 358, EAC, ANSI Z359.3, CSA Z259.11, GB 24453 / WQX
-

Specifications by reference

Reference(s)	L044BA00
Made in	TW
Guarantee	3 years
Inner Pack Count	1
Quantity Per Box	20
EAN	3342540829381

Spare part(s) CAPTIV ADJUST
 STUART
 Sewn Termination Screw

Related product(s) OK
 Am'D
 Bm'D
 OXAN
 RING OPEN