


Univers	Professional
Type	Verticality
Category	Ropes
Subcategory	Static ropes




RAY 11 mm


The RAY 11 mm static rope is designed for work at height and technical rescue involving long descents when intermediate anchors are not possible. It has low elongation under load for optimal precision during progression and positioning. The standard diameter provides a good grip for easier handling. EverFlex technology maintains great flexibility and consistent performance over time. Rope available in four colors and four lengths.



The standard diameter provides a good grip for easier handling.



EverFlex technology provides great flexibility over time and under a variety of conditions (water, dust, mud), allowing it to maintain consistent handling and optimal performance with devices.



It is possible to order a rope of the desired color and length.

Short Description Static kernmantle rope with good grip for work at height and technical rescue





Selling Points





- Static rope for greater efficiency in work at height and technical rescue involving long descents when intermediate anchors are not possible
- Low elongation reduces the yo-yo effect during progression
- Optimal precision when progressing on rope and positioning
- Special design to avoid confusion with Petzl low stretch kernmantle ropes
- Consistent performance over time:
- Standard diameter provides a good grip for easier handling
- 100% polyester construction with a braided core
- EverFlex technology provides great flexibility over time and under a variety of conditions (water, dust, mud), allowing it to maintain excellent handling and optimal performance with devices
- Available in four colors: white, black, yellow and blue
- Standard lengths available only in North America: 150, 200, 600 and 1200 feet
- Customization on request for certain countries: possible to order a rope of the desired color and length To order this product, contact your dealer.





Specification


- Diameter: 11mm
- Material(s): Polyester
- Certifications: NFPA 2500 Technical Use, ANSI Z459.1, ANSI Z359.15, CI 1801.
- Weight per meter: 98g
- Strength tied with figure-eight knot: 17kN
- Construction: 32 carrier
- Percentage of sheath: 39%
- Static elongation under 1,35 kN load: 2,2%
- Static elongation under 2,7 kN load: 3,2%
- Static elongation under 4,4 kN load: 4,2%

Specifications by reference

Reference(s)	R100AA00	R100AA01	R100AA02	R100AA03
				
Length (ft)	150 ft	150 ft	150 ft	150 ft
Color(s)	White	Black	Yellow	Blue
Made in	CZ	CZ	CZ	CZ
Guarantee	3 years	3 years	3 years	3 years
Inner Pack Count	1	1	1	1
Quantity Per Box	2	2	2	2
EAN	3342540836112	3342540836129	3342540836136	3342540836143

Reference(s)	R100AA04	R100AA05	R100AA06	R100AA07
				
Length (ft)	200 ft	200 ft	200 ft	200 ft
Color(s)	White	Black	Yellow	Blue
Made in	CZ	CZ	CZ	CZ
Guarantee	3 years	3 years	3 years	3 years
Inner Pack Count	1	1	1	1
Quantity Per Box	1	1	1	1
EAN	3342540836150	3342540836167	3342540836174	3342540836181

Reference(s)	R100AA08	R100AA09	R100AA10	R100AA11
				
Length (ft)	600 ft	600 ft	600 ft	600 ft
Color(s)	White	Black	Yellow	Blue
Made in	CZ	CZ	CZ	CZ
Guarantee	3 years	3 years	3 years	3 years
Inner Pack Count	1	1	1	1
Quantity Per Box	1	1	1	1
EAN	3342540836297	3342540836303	3342540836419	3342540836426

Reference(s)	R100AA12
	
Length (ft)	1200 ft
Color(s)	White
Made in	CZ
Guarantee	3 years
Inner Pack Count	1
Quantity Per Box	1
EAN	3342540836433

Related product(s)	I'D® S I'D® EVAC RIG® ASAP® ASAP® LOCK RESCUCENDER SPIN L1 SPIN L2 SPIN L1D
--------------------	---